Quality assessment							Number of patients		Effect			
Number of studies	Study design	Risk of bias	Inconsistency	Indirectness	Imprecision	Other considerations	Mindfulness interventions	any control	Relative (95% CI)	Absolute (95% Cl)	Quality	Importance
Carer health and well-being (mental well-being) – post-treatment												
1	randomised trials	serious ¹	not serious	serious ²	very serious	none	66	-	-	SMD 0.17 more (0.19 fewer to 0.53 more)		CRITICAL
Carer health and well-being (mental well-being) – follow-up (follow up: mean 6 weeks)												
1	randomised trials	serious 1	not serious	serious ²	very serious	none	66	-	-	SMD 0.28 more (0.08 fewer to 0.64 more)		CRITICAL
Carer health and v	well-being (mental	ill health) – po	ost-treatment						ı			1

Quality assessment							Number of patients		Effect			
Number of studies	Study design	Risk of bias	Inconsistency	Indirectness	Imprecision	Other considerations	Mindfulness interventions	any control	Relative (95% CI)	Absolute (95% Cl)	Quality	Importance
2	randomised trials	serious ⁴	serious ⁵	serious ²	serious ³	none	84		-	SMD 0.54 fewer (1.06 fewer to 0.02 fewer)		CRITICAL
Carer health and well-being (mental ill health) – follow-up (follow up: range 6-13 weeks to)												
2	randomised trials	serious ⁴	serious ⁵	serious ²	serious ³	none	84		_	SMD 0.24 fewer (0.72 fewer to 0.24 more)		CRITICAL
Carer health and well-being (stress) – post-treatment												
1	randomised trials	serious ¹	not serious	serious ²	very serious	none	66	-	-	SMD 0.17 more (0.19 fewer to 0.53 more)		CRITICAL
Carer health and well-being (stress) – follow-up (follow up: mean 6 weeks)												
1	randomised trials	serious ¹	not serious	serious ²	very serious	none	66	-	-	SMD 0.05 fewer (0.41 fewer to 0.31 more)		CRITICAL
Carer health and	Carer health and well-being (burnout) – post-treatment											
1	randomised trials	serious ¹	not serious	serious ²	very serious	none	18	-	-	SMD 0.18 fewer (0.86 fewer to 0.49 more)		CRITICAL
Carer health and well-being (burnout) – follow-up (follow up: mean 13 weeks)												
1	randomised trials	serious 1	not serious	serious ²	very serious	none	18	-	-	SMD 0.08 fewer (0.76 fewer to 0.59 more)		CRITICAL

- Crucial limitation for one criterion or some limitations for multiple criteria sufficient to lower ones confidence in the estimate of effect Population not family carers of people with learning disabilities with no mental health problems. Optimal information size not met; small, single study Most information is from studies at moderate risk of bias 1.
- 2.
- 3.
- 4.
- 5. I2 > 40%. This is the criterion that was used in the challenging behaviour guideline.

© National Guideline Alliance, 2016