

G.12.1.12 Residential care staff training: emotion-oriented care

| Quality assessment | | | | | | No of patients | | Effect estimate | Quality |
|--|--------|--------------|--------------|---------------|----------------------|----------------|------------|------------------------|----------|
| No of studies | Design | Risk of bias | Indirectness | Inconsistency | Imprecision | Intervention | Usual care | Summary of results | |
| Unstable affect (Cornell depression scale + BIP) (higher values favour control) | | | | | | | | | |
| 1 (Finnema 2005) | RCT | Not serious | Not serious | N/A | Serious ¹ | 67 | 79 | MD -0.87 (-2.02, 0.28) | Moderate |
| Cognitive adaption (BIP5 rebellious behaviour (0-15)) (higher values favour control) | | | | | | | | | |
| 1 (Finnema 2005) | RCT | Not serious | Not serious | N/A | Serious ¹ | 67 | 79 | MD -0.07 (-0.93, 0.79) | Moderate |
| Agitation (CMAI + BIP) (higher values favour control) (higher values favour intervention) | | | | | | | | | |
| 1 (Finnema 2005) | RCT | Not serious | Not serious | N/A | Serious ¹ | 67 | 79 | MD 0.78 (-0.34, 1.90) | Moderate |
| PGCMS dissatisfaction with present situation (0-4) (higher values favour intervention) | | | | | | | | | |

| Quality assessment | | | | | | | No of patients | | Effect estimate | Quality |
|--|--------|--------------|--------------|---------------|----------------------|--------------|----------------|------------------------|-----------------|---------|
| No of studies | Design | Risk of bias | Indirectness | Inconsistency | Imprecision | Intervention | Usual care | Summary of results | | |
| 1 (Finnema 2005) | RCT | Not serious | Not serious | N/A | Serious ¹ | 67 | 79 | MD 0.25 (-0.07, 0.57) | Moderate | |
| PGCMS attitude towards ageing (0-6) (higher values favour intervention) | | | | | | | | | | |
| 1 (Finnema 2005) | RCT | Not serious | Not serious | N/A | Not serious | 67 | 79 | MD 0.80 (0.46, 1.14) | High | |
| Developing and maintaining social relationships questionnaire (higher values favour intervention) | | | | | | | | | | |
| 1 (Finnema 2005) | RCT | Not serious | Not serious | N/A | Serious ¹ | 67 | 79 | MD -0.50 (-1.73, 0.73) | Moderate | |
| Coping with nursing home environment (BIP + ASEP4 inactivity + GRGS-other activity) (higher values favour intervention) | | | | | | | | | | |
| 1 (Finnema 2005) | RCT | Not serious | Not serious | N/A | Serious ¹ | 67 | 79 | MD 0.24 (-0.95, 1.43) | Moderate | |
| 1. Non-significant result | | | | | | | | | | |