

G.12.1.22 Residential care nurse training: dementia care mapping

No of studies	Design	Risk of bias	Indirectness	Inconsistency	Imprecision	Intervention	Usual care	Summary of results	
<b>Agitation (CMAI – higher numbers favour control)</b>									
1 (van de Ven 2013)	RCT	Serious <sup>1</sup>	Not serious	N/A	Serious <sup>2</sup>	73	119	MD 1.05 (-4.89, 6.99)	Low
<b>Behavioural symptoms (NPI-NH – higher numbers favour control)</b>									
1 (van de Ven 2013)	RCT	Serious <sup>1</sup>	Not serious	N/A	Not serious	73	119	MD 3.08 (0.61, 5.55)	Moderate
<b>Quality of life (Qualidem - higher numbers favour intervention)</b>									
1 (van de Ven 2013)	RCT	Serious <sup>1</sup>	Not serious	N/A	Serious <sup>2</sup>	73	119	MD 0.13 (-5.53, 5.79)	Low
<b>Quality of life (EQ-5D - higher numbers favour intervention)</b>									
1 (van de Ven 2013)	RCT	Serious <sup>1</sup>	Not serious	N/A	Serious <sup>2</sup>	73	119	MD 0.04 (-0.03, 0.11)	Low
<ol style="list-style-type: none"> <li>Method of randomisation not specified</li> <li>Non-significant result</li> </ol>									