

## P.2.18 DLB versus other dementias

### P.2.18.1 123I-FP-CIT SPECT

Studies	Design	Total N	Sens (95%CI)	Spec (95%CI)	Measure	Summary of findings (95%CI)	Risk of bias	Inconsistency	Indirectness	Imprecision	Other considerations	Quality
<b>SINGLE CAMERA</b>												
1 study (Treglia 2012)	Prospective	31	0.90 (0.68, 0.97)	0.91 (0.56, 0.99)	LR+	9.90 (1.52, 64.52)	Not serious	n/a	Not serious	Serious	-	MODERATE
						0.11 (0.03, 0.42)	Not serious	n/a	Not serious	Not serious		HIGH
<b>MULTIPLE CAMERA</b>												
1 study (Walker 2007)	Retrospective	20	0.83 (0.46, 0.97)	0.96 (0.60, 1.00)	LR+	21.67 (1.43, 333.42)	Not serious	n/a	Not serious	Serious	-	MODERATE
						0.17 (0.04, 0.75)	Not serious	n/a	Not serious	Serious		MODERATE
<b>ALL EVIDENCE POOLED</b>												
2 studies (Treglia 2012; Walker 2007)	1 × prospective; 1 × retrospective	51	0.88 (0.70, 0.96)	0.93 (0.72, 0.99)	LR+	12.72 (2.71, 59.68)	Not serious	Not serious	Not serious	Not serious	-	HIGH
						0.14 (0.05, 0.36)	Not serious	Not serious	Not serious	Not serious		HIGH
<b>Notes on risk of bias</b>												
Treglia 2012: Specific criteria used as the reference standard not reported												