

Alcohol Misuse and Drug Use

Alcohol and Drug Screening and Assessment Tools

Short Michigan Alcoholism Screening Test-Geriatric Version (SMAST-G)

Resource summary: The SMAST-G is a screening tool for identifying alcohol misuse in older adults. It can be used in a variety of clinical settings, including general healthcare practices.

Short Michigan Alcoholism Screening Test-Geriatric Version (SMAST-G)

| | | Yes (1) | No (0) |
|-----|--|---------|--------|
| 1. | When talking with others, do you ever underestimate how much you drink? | | |
| 2. | After a few drinks, have you sometimes not eaten or been able to skip a meal because you didn't feel hungry? | | |
| 3. | Does having a few drinks help decrease your shakiness or tremors? | | |
| 4. | Does alcohol sometimes make it hard for you to remember parts of the day or night? | | |
| 5. | Do you usually take a drink to relax or calm your nerves? | | |
| 6. | Do you drink to take your mind off your problems? | | |
| 7. | Have you ever increased your drinking after experiencing a loss in your life? | | |
| 8. | Has a doctor or nurse ever said they were worried or concerned about your drinking? | | |
| 9. | Have you ever made rules to manage your drinking? | | |
| 10. | When you feel lonely, does having a drink help? | | |

| TOTAL SMAST-G-SCORE (0-10) |
|----------------------------|
|----------------------------|

SCORING: 2 OR MORE "YES" RESPONSES IS INDICATIVE OF AN ALCOHOL PROBLEM.

Ask the extra question below but do not calculate it in the final score. Extra question: Do you drink alcohol and take mood or mind-altering drugs, including prescription tranquilizers, prescription sleeping pills, prescription pain pills, or any illicit drugs?

© The Regents of the University of Michigan, 1991. Source: University of Michigan Alcohol Research Center. Adapted with permission.

254 Chapter 9