E.2 Position modifiers vs no active treatment (severe OSAHS)

Figure 9: AHI, higher is worse

	Positio	Control			Mean Difference		Mean Difference		
Study or Subgroup	Mean	SD	Total	Mean	SD	Total	Weight	IV, Fixed, 95% CI	IV, Fixed, 95% CI
Cartwright 1991	20.8	29.2	15	7.72	9.91	15	100.0%	13.08 [-2.52, 28.68]	+
Total (95% CI)			15			15	100.0%	13.08 [-2.52, 28.68]	
Heterogeneity: Not ap Test for overall effect:)						-20 -10 0 10 20 Favours Pos. modifier Favours Control		



	Positional modifier			Control				Mean Difference	Mean Difference	
Study or Subgroup	Mean	SD	Total	Mean	SD	Total	Weight	IV, Fixed, 95% CI	IV, Fixed, 95% CI	
Cartwright 1991	32.9	72.2	15	26.8	59.3	15	100.0%	6.10 [-41.18, 53.38]		
Total (95% CI)			15			15	100.0%	6.10 [-41.18, 53.38]		
Heterogeneity: Not applicable Test for overall effect: Z = 0.25 (P = 0.80)								•	-50 -25 0 25 50 Favours Pos. modifier Favours Control	