Table 40: Studies excluded from the clinical review

Study	Exclusion reason
Agger 2017 <sup>1</sup>	Incorrect population; multiorgan bodily distress syndrome
Andersson 1998 <sup>2</sup>	Incorrect study design (non-randomised)
Anonymous 2004 <sup>25</sup>	News article
Anonymous 2019 <sup>76</sup>	Editorial
Anonymous 2019 <sup>3</sup>	Summary article (not full study)
Anonymous 2020 <sup>81</sup>	Abstract only
Ascough 2020 <sup>5</sup>	Systematic review with different PICO
Baschetti 1999 <sup>6</sup>	Letter
Behan 1995 <sup>7</sup>	Conference proceedings
Blockmans 2003 <sup>10</sup>	Crossover, no washout period
Brook 1993 <sup>11</sup>	Correspondence
Brostoff 2000 <sup>12</sup>	On National Registry only - paper cannot be found
Cleare 1998 <sup>13</sup>	Conference proceeding
Cleare 1999 <sup>14</sup>	Crossover, no washout period
Cleare 2000 <sup>17</sup>	No relevant outcomes
Cleare 2001 <sup>15</sup>	No relevant outcomes
Cleare 2004 <sup>16</sup>	No relevant outcomes
Collatz 2016 <sup>18</sup>	Systematic review with different PICO
De Vinci 1996 <sup>19</sup>	No relevant outcomes
Diaz-Mitoma 2003 <sup>20</sup>	Only 14/16 patients had CFS; no useable outcomes
Fagermoen 2015 <sup>21</sup>	No relevant outcomes
Fluge 2015 <sup>24</sup>	Non-randomised follow up to Fluge 2011
Glazachev 2017 <sup>26</sup>	Article not in English

Study	Exclusion reason
Gracious 1991 <sup>27</sup>	Case study
Guo 2015 <sup>28</sup>	Article not in English
Hall 2016 <sup>29</sup>	Secondary analysis of an included trial
Hartz 2003 <sup>30</sup>	Incorrect study design (non-randomised)
Hermans 2018 <sup>31</sup>	Study not relevant: one-off pain treatment; outcomes not relevant
Hickie 1992 <sup>33</sup>	Incorrect study design (non-randomised)
Hickie 1999 <sup>32</sup>	Incorrect study design (non-randomised)
Houdenhove 2010 <sup>35</sup>	Narrative review
Kakumanu 2001 <sup>36</sup>	Abstract only
Kreijkamp-Kaspers 2011 <sup>38</sup>	Incorrect study design (non-randomised study and review)
Lane 1999 <sup>39</sup>	Unobtainable - record on national research registry.
Lerner 2001 <sup>42</sup>	Correspondence
Lerner 2002 <sup>40</sup>	Incorrect study design (non-randomised); incorrect comparison (comparing two patient groups not treatments)
Lerner 2007 <sup>41</sup>	No useable outcomes
Liu 2010 <sup>43</sup>	Article not in English
Lloyd 1993 <sup>45</sup>	No useable outcomes
Main 2000 <sup>46</sup>	Unobtainable - only exists on national register or research so may not be published
Mckenzie 2000 <sup>48</sup>	No relevant outcomes
Meeus 2013 <sup>49</sup>	Incorrect intervention (one-off pain treatment)
Mehta 1995 <sup>50</sup>	Incorrect study design (non-randomised; single case study with cross-over)
Mitchell 2000 <sup>51</sup>	Unobtainable. Only reported on trial database
Moorkens 1998 <sup>54</sup>	No useable outcomes
Morriss 1996 <sup>55</sup>	Citation only
Natelson 1996 <sup>58</sup>	Analysis technique unclear and not possible to interpret
Natelson 1998 <sup>57</sup>	No useable outcomes
Nilsson 2018 <sup>60</sup>	Incorrect intervention (drug not licensed)
Pae 2009 <sup>62</sup>	Systematic review is not relevant to review question or unclear PICO

© NICE 2021. All rights reserved. Subject to Notice of rights.

Study	Exclusion reason
Plioplys 1997 <sup>66</sup>	Incorrect study design (non-randomised)
Raijmakers 2019 <sup>67</sup>	Incorrect population (Q fever fatigue syndrome)
Rekeland 2020 <sup>69</sup>	Incorrect study design (non-randomised)
Roerink 2015 <sup>71</sup>	Study protocol
Roerink 2017 <sup>72</sup>	Incorrect study design (RCT results reported elsewhere)
Roerink 2018 <sup>73</sup>	No relevant outcomes
Rowe 1997 <sup>74</sup>	No relevant extractable outcomes
Rowe 1999 <sup>75</sup>	Not all participants were randomised
See 1996 <sup>78</sup>	Crossover, no washout period
Spath 200080	No useable outcomes
Springer 1992 <sup>82</sup>	Abstract only
Staud 2017 <sup>83</sup>	Incorrect intervention (one-off pain treatment); no relevant outcomes
Stouch 2010 <sup>85</sup>	No relevant outcomes
Strayer 1994 <sup>87</sup>	No relevant extractable outcomes
Stubhaug 2008 <sup>89</sup>	Incorrect population (neurasthenia population; not all participants met CFS criteria)
Suhadolnik 1994 <sup>90</sup>	No relevant outcomes
Teitelbaum 1999 <sup>92</sup>	Incorrect population (principally FMS; not all patients had co-existing CFS)
The 2014 <sup>94</sup>	Intervention details unclear
Tiev 1999 <sup>95</sup>	Article not in English
Vedhara 199796	No useable outcomes
Vercoulen 199798	Article not in English
Vorob'eva 2017 <sup>101</sup>	Article not in English
Vorob'eva 2019 <sup>100</sup>	Incorrect population; no diagnosis of ME/CFS
Wearden 1996 <sup>102</sup>	Citation only
Williams 2002 <sup>104</sup>	No usable outcome data - results reported as medians (IQR)
Wilson 2019 <sup>105</sup>	Citation only
Young 2010 <sup>106</sup>	On clinical trials website only - otherwise unavailable
Zachrisson 2004 <sup>108</sup>	No relevant outcomes