Figure 2: Person/participant health related quality of life (SF-36 MCS, 0-100, higher values are better, change score) at end of intervention

| | Rob | ot arm traini | ing | Other interventions | | | | Mean Difference | Mean Difference | | | |
|--|------|---------------|-------|---------------------|---------|-------|--------|---------------------|----------------------------------|--------------------|---------------|-----|
| Study or Subgroup | Mean | SD | Total | Mean | SD | Total | Weight | IV, Fixed, 95% CI | IV, Fixe | d, 95% Cl | | |
| Aprile 2020 | 3.15 | 9.435318 | 89 | 4.46 | 9.72692 | 91 | 71.1% | -1.31 [-4.11, 1.49] | | • | | |
| Zengin-Metli 2018 | 2.5 | 7.86 | 20 | 3.21 | 5.37 | 15 | 28.9% | -0.71 [-5.10, 3.68] | - | + | | |
| Total (95% CI) | | | 109 | | | 106 | 100.0% | -1.14 [-3.50, 1.22] | | • | | |
| Heterogeneity: Chi ^z = 0.05, df = 1 (P = 0.82); i ^z = 0% Test for overall effect: Z = 0.94 (P = 0.35) | | | | | | | | | 1 50 her interventions | 0 Favours robot | 50 therapy | 100 |